

Jurnal Ilmiah

FARMASI

(Scientific Journal of Pharmacy)



JURNAL ILMIAH FARMASI
(SCIENTIFIC JOURNAL OF PHARMACY)

PIMPINAN UMUM/ PENANGGUNG JAWAB
Dekan Fakultas Matematika dan Ilmu Pengetahuan Alam
Universitas Islam Indonesia

WAKIL PIMPINAN UMUM/ WAKIL PENANGGUNG JAWAB
Ketua Jurusan Farmasi FMIPA UII

MITRA BESTARI

1. Prof. Dr. Wiryatun Lestariana, Apt
2. Prof. Dr. Zullies Ikawati, Apt
3. Prof. Dr. Sudibyo Martono, Apt
4. Dr. Tedjo Yuwono, Apt
5. Prof. Dr. Dachriyanus, Apt
6. Prof. dr. Iwan Dwiprahasto, MMedSc, PhD
7. Prof. Dr. Lukman Hakim M.Sc., Apt
8. Prof. Dr. Achmad Fudholi, DEA, Apt
9. Prof. Dr. Ibnu Gholib Gandjar, DEA., Apt

DEWAN EDITOR

- | | | |
|------------|---|---|
| Ketua | : | Saepudin, M.Si., Apt |
| Sekretaris | : | Rochmy Istikharah, M.Sc., Apt. |
| Anggota | : | Vitarani Dwi Ananda Ningrum, M.Si., Apt.
Okti R. Mafruhah, MSc., Apt
Dimas Adhi Pradana, MSc., Apt.
Fithria DA. Suryanegara, MSc., Apt.
Ari Wibowo, S.Farm., Apt
Arba Pramudita Ramadani, MSc., Apt.
Oktavia Indrati, S.Farm., Apt. |

Penerbit

Jurusan Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam
Universitas Islam Indonesia

Alamat Penerbit

Jurusan Farmasi FMIPA UII
Jl. Kaliorang Km. 14,4 Yogyakarta 55584
Telp. (0274) 896439 ext. 3047
Email: jif@uii.ac.id

AKTIVITAS ANTIOKSIDAN EKSTRAK ETANOL KULIT BUAH RAMBUTAN (*Nephelium lappaceum L.*) TERHADAP PENANGKAPAN RADIKAL BEBAS DPPH

Hady Anshory, Suparmi, Arif Setiadi Tamimy

Jurusan Farmasi Universitas Islam Indonesia

ABSTRACT

Rambutan fruits are consumed by people for additional food and medical use. Pericarp of rambutan has been known to have some active compounds such as flavonoid. Many flavonoids from plants are known to have anti radical activity effect or antioxidant. It is very interest to determine of antioxidant activity from ethanol extract of rambutan pericarp (*Nephelium lappaceum L.*). Antioxidant activity was carried out spectrophotometry by using DPPH (2,2-diphenyl-1-picrylhydrazyl) as a reagent. The extract and vitamin E (α -tocopherol) concentration was made 2, 3, 4, 5, and 6 μ g/ml. The increasing concentration of extract and vitamin E has caused the scavenging of free radical DPPH. The amount of free radical scavenging DPPH was calculated based on its absorbance, measured at λ 521 nm. The result showed that anti radical activity of ethanolic extract of rambutan pericarp (EC50 = 1,62 μ g/ml) is higher than that of vitamin E (EC50 = 2,91 μ g/ml).

Keywords : Rambutan, antioxidant, free radical DPPH